


Electric Moving Cart LFC170F3

- Safe Handling
- Automatic Lifting
- Convenient Vehicle Carrying




Electric Moving Cart LFC170F3

Item Details



Technical Parameter

Electric Drive----Mile Range·Speed Capacity



load lifting/lowering
takes **20 seconds**

Fully charged cargo lifting times

200 times



Speed on Ground
0.85m/s

Mile Range on Plane

About 3 hours



Mile Range on Upslope

About 1 hour



LFC170F3



LFC170H3

Model	LFC170F3	LFC17H3
Item Weight	53.8KG	46.8KG
Maximum Capacity	170KG	
Lifting stroke	800mm	
Loading board maximum height	820mm	
Max Crawling Slope	15°	
Auxiliary Tooling for Plane	YES	NO
Lifting Motor Parameter	48V120W	
moving Motor Parameter	48V500W	
Motor holding brake	YES	
Noise Level	<70dB	
Protection Grade	IP33	
Size	650x770x1285mm	

ACCESSORIES



Lithium Battery

Battery Capacity: 48V 10AH

Battery Weight: 3.2KG



Charger

Input: 100V-240V

Output: 54.6V 4A



Safety Strap

Size: 25x1500MM

Self-retracting Ratchet Strap

Electric Moving Cart LFC170F3

PRODUCT FUNCTIONS



APPLICATIONS



Warehouse



Factory



Shopping Mall



Hospital

Ease Your Way To Anywhere!



xsto® XSTO CO., LTD.

Website: xstoclimbers.com

Email: info@xsto.net

Tel: +86-760-28207258

Address: Building C, 555 Plant, Ma' an Cun Rd, Cuiheng New District, Zhongshan City, Guangdong, China

